

GYŌ

MINI

行 ART OF LIGHT

Als verlichting een beleving wordt.

Een nieuwe visie op architecturale verlichting.

Met Gyo creëren we intelligente oplossingen voor milieuvriendelijke verlichting met een tijdloos design en geavanceerde technologie.

Gyo onderscheidt zich door zijn veelzijdigheid aan combinatiemogelijkheden, waardoor je steeds het perfecte licht beschikbaar hebt waar u zich ook bevindt en hoe uw stemming ook is.

De Gyo producten zijn ontwikkeld en geproduceerd volgens de filosofie van de Japanse Takumi meesters, door het streven naar het beste resultaat creëer je een uitzonderlijk product.

Lighting becomes an experience.

A innovative vision on architectural lighting.

With Gyo we create intelligent solutions for environmentally friendly lighting with a timeless design and advanced technology.

Gyo distinguishes itself by its versatility of combination options. This gives the perfect light in every location, room, place, for every mood.

The Gyo products are developed and produced according to the philosophy of the Japanese Takumi masters: only by striving for the best result you will end up with an exceptional product.

KIRENSHOMA

MAGNETISCH

Het MINI systeem zorgt voor een flexibele lichtbeleving. Lichtarmaturen met een tijdloos design en voorzien van een magnetische adapter kunnen met één handbeweging van positie veranderd worden om uw lichtbeleving aan te passen aan de noodzaak.

TRACKS

De basis is een compact elegant profiel voorzien van een contactlijn welke zorgt voor DC voeding, standaard 12-24V en sturing voor het dimmen via RF, TRIAC, 1-10V, DALI, compatibel met CASAMBI / ZIGBEE. Het profiel kan zowel als opbouw, naadloze inbouw of hangend geïnstalleerd worden.

ARMATUREN

De esthetisch en energiebesparende armaturen zijn voorzien van kwaliteitsvolle componenten, de lichtbron is een hoogwaardige Led met hoge CRI waarden en Lumen-Watt verhouding. De drivers zijn voorzien van de nieuwste technologieën welke u toelaten te werken met huidige en toekomst gerichte intelligente toepassingen. De afwerking in zwart, wit poederlak of chroom zorgen voor een designvol verlichtingsobject.



Casambi ready



5 year warranty

ENSIS

MAGNETIC

The MAGNI system provides a flexible light experience. Light fixtures with a timeless design and equipped with a magnetic adapter can be moved with one hand movement to adapt the light experience one needs at the chosen spot in the room.

TRACKS

The base is a compact elegant profile with a contact line that provides DC power, standard 12-24V and control for dimming via RF, TRIAC, 1-10V, DALI, compatible with CASAMBI/ZIGBEE. The profile can be installed as a surface-mounted, seamlessly inserted installation or suspended.

LUMINAIRES


The aesthetic and energy-saving luminaires are equipped with high-quality components, the light source is a high-quality LED with high CRI values and an optimal Lumen-Watt ratio. The drivers are equipped with the latest technologies, allowing you to work with current and future-oriented intelligent applications. The finish in black/white powder lacquer or chrome results in a designer quality lighting object.



Casambi ready



5 year warranty






OGI

SIZE	Ø 18x30mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	38°
LUMEN	200 Lm
VOLT	12-24V
WATT	2W
DIMMING	Triac / 1-10V / Dali / RF / Wifi
ADJUSTABLE	No


A-label No flicker 50.000 h



OGI TWIN

SIZE	Ø 18x30mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	38°
LUMEN	1x100 Lm
VOLT	12-24V
WATT	2W
DIMMING	Triac / 1-10V / Dali / RF / Wifi
ADJUSTABLE	Yes


A-label No flicker 50.000 h



MITO FLOOD

SIZE	100*10*13 mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	38°
LUMEN	1x100 Lm
VOLT	24V
WATT	1W
DIMMING	Triac / 1-10V / Dali / RF / Wif
ADJUSTABLE	No


A-label No flicker 50.000 h



NIKO BEAM

SIZE	100*10*23mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	38°
LUMEN	100 Lm
VOLT	12-24V
WATT	2W
DIMMING	Triac / 1-10V / Dali / RF
ADJUSTABLE	No

A-label No flicker 50.000 h





KIRENSHOMA

SIZE	Ø 20*32
FINISH	Sandy Black / Chrome
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	20° / 30° / 40° / 60°
LUMEN	180 Lm
VOLT	12-24V
WATT	2W
DIMMING	Triac / 1-10V / Dali / RF
ADJUSTABLE	Yes (95° - 360°)

 A-label  No flicker  50.000 h

KIRENSHONA

ØSIZE	Ø 20*24
FINISH	Sandy Black / Chrome
COLOR TEMP.	2700K / 3000K / 4000K
LED	Cree
CRI	> 90
BEAM	20° / 30° / 40° / 60°
LUMEN	90 Lm
VOLT	12-24V
WATT	1W
DIMMING	Triac / 1-10V / Dali / RF
ADJUSTABLE	Yes (95° - 360°)

 A-label  No flicker  50.000 h



ENSIS

SIZE	15 / 30cm
FINISH	Sandy Black / Chrome
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	120°
LUMEN	500/1000 Lm
VOLT	12-24V
WATT	5 / 10W
DIMMING	Triac / 1-10V / Dal
ADJUSTABLE	No

 A-label  No flicker  50.000 h

TANAKA

SIZE	Ø 30x45mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	38°
LUMEN	300 Lm
VOLT	12-24V
WATT	3W
DIMMING	Triac / 1-10V / Dali / RF / Wifi
ADJUSTABLE	Yes


 A-label  No flicker  50.000 h



TAHIKO

SIZE	Ø 28x52mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	38°
LUMEN	1x100 Lm
VOLT	12-24V
WATT	2W
DIMMING	Triac / 1-10V / Dali / RF / Wifi
ADJUSTABLE	Yes

 A-label  No flicker  50.000 h



TAKO

SIZE	Ø 35x60mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	38°
LUMEN	1x100 Lm
VOLT	12V
WATT	2W
DIMMING	Triac / 1-10V / Dali / RF / Wifi
ADJUSTABLE	Yes

 A-label  No flicker  50.000 h



NOUN

SIZE	Ø 30x45mm
FINISH	Sandy Black / Chrome / White
COLOR TEMP.	2700K / 3000K / 4000K
LED	OSRAM
CRI	> 82 > 93
BEAM	20° - 60° Zoom
LUMEN	300 Lm
VOLT	12-24V
WATT	3W
DIMMING	Triac / 1-10V / Dali / RF / Wifi
ADJUSTABLE	Yes

 A-label  No flicker  50.000 h



MINI TRACK SURFACE

SIZE	1m / 2m - 12mm / 6mm
FINISH	Sandy Black / Chrome
INSTALLATION	Surface / Pendant / Recessed
WATT	150W max
DIMMING	Triac / 1-10V / Dali / RF / ZIGBEE


COVERS

SIZE	5 / 10cm
FINISH	Sandy Black / Chrome
ADJUSTABLE	No



MINI TRACK ROUNDED

SIZE	1m / 2m - 10*15 mm
FINISH	Sandy Black / Chrome
INSTALLATION	Surface / Pendant / Rece
WATT	150W max
DIMMING	Triac / 1-10V / Dali / RF / ZIGBEE



MINI TRACK PENDANT

SIZE	Ø 30
FINISH	Sandy Black / Chrome
INSTALLATION	Pendant mounting kit for magnetic track, includes 2 sets




MINI TRACK FLEXI LED

SIZE	1m / 2m / 3m
FINISH	Sandy Black / Chrome
INSTALLATION	Surface / Pendant / Recessed
DIMMING	Triac / 1-10V / Dali / RF


Sfeer creëren met egale lijnverlichting
De combinatie van led strips met het MINI track profiel zorgen voor sfeervolle accent, achtergrond, of functionele verlichting.

Create a unique atmosphere with uniform line lighting The combination of LED strips with the MINI track profile allow you to create atmospheric accent, background, or functional lighting.







I - Connector
Sandy Black
15*27mm




L - Connector
Sandy Black
15*27.5mm



Power - Connector
Sandy Black
15*29mm



Profile holder
Sandy Black
25*15*38.5mm



Profile Holder
Sandy Black
25*15*24mm

行